

8.5 LB. CLEAN AGENT HFC-236 EXTINTOR PORTATIL

CENTURY®



- Cilindro completo de acero con faldón protector.
- Pintura con Acabado duradero en polvo de poliéster, resistencia superior a la corrosión.
- totalmente recargable.
- Manómetro Medidor de acero inoxidable a prueba de agua .
- Potencial de agotamiento del ozono = 0 (cero).
- Etiqueta con código de barras.
- Válvula y manijas de metal.
- Completo con gancho de pared.
- Garantía de 5 años.

ESPECIFICACIONES	
Partes Certificadas (Manómetro, agente limpio, manguera)	Listado U.L.
Modelo	ABC8.5CE
Capacidad	8,5 lbs.
Clasificación	1-A : 10 B : C
Aprobación	Tipo A Medida II, Tipo B:C Medida II
Rango	10 - 15 ft (3 - 4.5 m)
Rango de Temperatura	-103°C a 124.9°C
Tiempo de Descarga	10 seg.
PSI	195
Altura	21 1/4" (54 cm)
Anchura	8" (20.3 cm)
Diametro	5 1/8" (13 cm)
Peso	19 1/4 lbs. (8.8 kgs.)

El Extintor de 8.5 lbs de AGENTE LIMPIO HFC236 ABC está diseñado para



CENTURY®

8.5 LB. CLEAN AGENT HFC-236 PORTABLE FIRE EXTINGUISHER



- Steel cylinder
- Durable polyester powder paint finish
- Fully rechargeable
- Waterproof stainless steel gauge
- Ozone depletion potential = 0 (cero)
- Bar coded label
- Metal valve & handles
- Complete with wall hook
- *Optional vehicle / marine bracket
- 5-Year Warranty

Specifications	
Some Parts Certificate (Gauge, clean agent, hose)	U.L. listed
Model	ABC8.5CE
Capacity	8,5 lbs.
Rating	1-A : 10 B : C
Approval	Type A Size II, Type B:C Size II
Range	10 - 15 ft (3 - 4.5 m)
Temperature Range	-103°C to 124.9°C
Discharge Time	10 sec.
PSI	195
Height	21 1/4" (54 cm)
Width	8" (20.3 cm)
Diameter	5 1/8" (13 cm)
Weight	19 1/4 lbs. (8.8 kgs.)

The 8.5 lb ABC CLEAN AGENT HFC236 Fire Extinguisher is designed for:



CLASS A

WOOD, PAPER, CLOTH



CLASS B

FLAMMABLE LIQUIDS AND GASES



CLASS C

ELECTRICAL C